## IN THE CLAIMS:

1. (Currently Amended) A method for estimating visceral fat area of a subject comprising the steps of

acquiring predetermined biological data of the subject including at least values each indicating height and fat mass of the subject, and

estimating a value indicating visceral fat area of the subject based on the acquired biological data,

wherein the estimation of the value indicating visceral fat area is performed by using the product of <u>an</u> the Xth power of the height value and <u>an</u> the Yth power of the fat mass value, where each of the X and the Y <u>is expresses</u> a number <u>other than excluding</u> zero.

- 2. (Currently Amended) The method of claim 1, wherein the estimation of the value indicating visceral fat area is performed by using a parameter expressed as FM/Ht<sup>2</sup>, where the Ht is expresses the value indicating height and the FM is expresses the value indicating fat mass.
- 3. (Currently Amended) The method of claim 1, wherein the estimation of the value indicating visceral fat area is performed by using a parameter expressed as Ht<sup>2</sup>/FM, where the Ht is expresses the value indicating height and the FM is expresses the value indicating fat mass.
- 4. (Currently Amended) The method of claim 2, wherein a value indicating age of the subject is further acquired in the step of acquiring the biological data and wherein the estimation of the value indicating visceral fat area is performed by using an equation (1) as follows: as expressed below,

$$VFA = C11*FM/Ht^2 + C12*Age + C13$$
 (1)

where the VFA is expresses the value indicating visceral fat mass, the Age is expresses the value indicating age, and the C11, C12 and C13 are constants each expresses constant.

5. (Currently Amended) The method of claim 3, wherein a value indicating age of the subject is further acquired in the step of acquiring the biological data and wherein the estimation of the value indicating visceral fat area is performed by using an equation (2) <u>as</u> <u>follows:</u> <u>as expressed below</u>,

$$VFA = C21*Ht^2/FM + C22*Age + C23$$
 (2)

where the VFA <u>is</u> expresses the value indicating visceral fat mass, the Age <u>is</u> expresses the value indicating age, and the C21, C22 and C23 <u>are constants</u> each expresses constant.

6. (Currently Amended) The method of claim 2, wherein values each indicating age and weight of the subject are further acquired in the step of acquiring the biological data and wherein the estimation of the value indicating visceral fat area is performed by using an equation (3) as follows: as expressed below;

$$VFA = C31*FM/Ht^2 + C32*Age + C33*Wt/Ht^2 + C34$$
 (3)

where the VFA <u>is</u> expresses the value indicating visceral fat mass, the Age <u>is</u> expresses the value indicating age, the Wt <u>is</u> expresses the value indicating weight, and the C31, C32, C33 and C34 are constants each expresses constant.

7. (Currently Amended) The method of claim 3, wherein values each indicating age and weight of the subject are further acquired in the step of acquiring the biological data and wherein the estimation of the value indicating visceral fat area is performed by using an equation (4) as follows: as expressed below,

$$VFA = C41*Ht^2/FM + C42*Age + C43*Wt/Ht^2 + C44$$
 (4)

where the VFA is expresses the value indicating visceral fat mass, the Age is expresses the value indicating age, the Wt is expresses the value indicating weight, and the C41, C42, C43 and C44 as constants each expresses constant.

8. (Currently Amended) The method of claim 2, wherein values each indicating age and body fat percentage of the subject are further acquired in the step of acquiring the biological data and wherein the estimation of the value indicating visceral fat area is performed by using an equation (5) as follows: as expressed below,

$$VFA = C51*FM/Ht^2 + C52*Age + C53*\%FAT + C54$$
 (5)

where the VFA is expresses the value indicating visceral fat mass, the Age is expresses the value indicating age, the %FAT is expresses the value indicating body fat percentage, and the C51, C52, C53 and C54 are constants each expresses constant.

9. (Currently Amended) The method of claim 3, wherein values each indicating age and body fat percentage of the subject are further acquired in the step of acquiring the biological data and wherein the estimation of the value indicating visceral fat area is performed by using an equation (6) <u>as follows:</u> as expressed below,

$$VFA = C61*Ht^{2}/FM + C62*Age + C63*\%FAT + C64$$
 (6)

where the VFA <u>is</u> expresses the value indicating visceral fat mass, the Age <u>is</u> expresses the value indicating age, the %FAT <u>is</u> expresses the value indicating body fat percentage, and the C61, C62, C63 and C64 are constants each expresses constant.

10. (Currently Amended) The method of any one of claim 1 to 9, wherein the value indicating fat mass of the subject is acquired by using <u>a</u> the Bioelectrical Impedance Analysis in the step of acquiring the biological data.

11. (Currently Amended) A system for estimating visceral fat area of a subject comprising a data acquiring component for acquiring predetermined biological data of the subject including at least values each indicating height and fat mass of the subject, and

a data processing component for estimating a value indicating visceral fat area of the subject based on the acquired biological data,

wherein the data processing component estimates the value indicating visceral fat area by using the product of <u>an</u> the Xth power of the height value and <u>a</u> the Yth power of the fat mass value, where each of the X and the Y <u>is</u> expresses a number other than excluding zero.

- 12. (Currently Amended) The system of claim 11, wherein the data processing component estimates the value indicating visceral fat area by using a parameter expressed as FM/Ht<sup>2</sup>, where the Ht is expresses the value indicating height and the FM is expresses the value indicating fat mass.
- 13. (Currently Amended) The system of claim 11, wherein the data processing component estimates the value indicating visceral fat area by using a parameter expressed as Ht<sup>2</sup>/FM, where the Ht is expresses the value indicating height and the FM is expresses the value indicating fat mass.
- 14. (Currently Amended) The system of claim 12, wherein the data acquiring component further acquires a value indicating age of the subject and wherein the data processing component estimates the value indicating visceral fat area by using an equation (1) as follows: as expressed below,

$$VFA = C11*FM/Ht^2 + C12*Age + C13$$
 (1)

where the VFA is expresses the value indicating visceral fat mass, the Age is expresses the value indicating age, and the C11, C12 and C13 are constants each expresses constant.

15. (Currently Amended) The system of claim 13, wherein the data acquiring component further acquires a value indicating age of the subject and wherein the data processing component estimates the value indicating visceral fat area by using an equation (2) <u>as follows:</u> as expressed below,

$$VFA = C21*Ht^2/FM + C22*Age + C23$$
 (2)

where the VFA is expresses the value indicating visceral fat mass, the Age is expresses the value indicating age, and the C21, C22 and C23 are constants each expresses constant.

16. (Currently Amended) The system of claim 12, wherein the data acquiring component further acquires values each indicating age and weight of the subject and wherein the data processing component estimates the value indicating visceral fat area by using an equation (3) as follows: as expressed below,

$$VFA = C31*FM/Ht^2 + C32*Age + C33*Wt/Ht^2 + C34$$
 (3)

where the VFA is expresses the value indicating visceral fat mass, the Age is expresses the value indicating age, the Wt is expresses the value indicating weight, and the C31, C32, C33 and C34 are constants each expresses constant.

17. (Currently Amended) The system of claim 13, wherein the data acquiring component further acquires values each indicating age and weight of the subject and wherein the data processing component estimates the value indicating visceral fat area by using an equation (4) as follows: as expressed below,

$$VFA = C41*Ht^2/FM + C42*Age + C43*Wt/Ht^2 + C44$$
 (4)

where the VFA <u>is</u> expresses the value indicating visceral fat mass, the Age <u>is</u> expresses the value indicating age, the Wt <u>is</u> expresses the value indicating weight, and the C41, C42, C43 and C44 <u>are constants</u> each expresses constant.

18. (Currently Amended) The system of claim 12, wherein the data acquiring component further acquires values each indicating age and body fat percentage of the subject and wherein the data processing component estimates the value indicating visceral fat area by using an equation (5) as follows: as expressed below,

$$VFA = C51*FM/Ht^2 + C52*Age + C53*\%FAT + C54$$
 (5)

where the VFA <u>is</u> expresses the value indicating visceral fat mass, the Age <u>is</u> expresses the value indicating age, the %FAT <u>is</u> expresses the value indicating body fat percentage, and the C51, C52, C53 and C54 are constants each expresses constant.

19. (Currently Amended) The system of claim 13, wherein the data acquiring component further acquires values each indicating age and body fat percentage of the subject and wherein the data processing component estimates the value indicating visceral fat area by using an equation (6) as follows: as expressed below,

$$VFA = C61*Ht^2/FM + C62*Age + C63*\%FAT + C64$$
 (6)

where the VFA is expresses the value indicating visceral fat mass, the Age is expresses the value indicating age, the %FAT is expresses the value indicating body fat percentage, and the C61, C62, C63 and C64 are constants each expresses constant.

20. (Currently Amended) The system of any one of claim 1 to 9, wherein the value indicating fat mass of the subject is acquired by the data acquiring component based on <u>a</u> the Bioelectrical Impedance Analysis.